# **MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: Award 22-0-6, 40% SCU

SECTION I

MANUFACTURER'S NAME: EMERGENCY TELEPHONE NUMBER CALL

EAU CLAIRE COOPERATIVE DAY OR NIGHT 1-800-424-9300

P.O. BOX 837

EAU CLAIRE, WI 54702

TELEPHONE NUMBER FOR INFORMATION:

(715)-876-6422

#### SECTION II CHEMICAL INGREDIENTS / IDENTITY INFORMATION

CHEMICAL COMPONENTS	OSHA PEL	ACGIH TLV	OTHER	CAS#	<u>%</u>
			LIMITS		
UREA	15mg/M <sup>3</sup>	10mg/M <sup>3</sup>		57-13-6	28.50
Potassium Chloride	15mg/M3	10mg/M3		7447-407	20.75
Sulfur Coated Urea (SCU)	10mg/M3	15mg/M3		57-13-6 & 7704-39-9	9.75
Limestone	5mg/M <sup>3</sup>	10mg/M <sup>3</sup>		NA	40.75
Glycerine	NA	NA		56-81-5	0.25

#### SECTION III PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING POINT	NA	SPECIFIC GRAVITY	>1
VAPOR PRESSURE	NA	MELTING POINT	132.7 <sup>0</sup> C
VAPOR DENSITY	NA	EVAPORATION RATE	NA
SOLUBILITY IN WATER	Soluble	APPEARANCE AND ODOR	Granular & mixed color

#### SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): NA

EXTINGUISHING MEDIA: FOAM & WATER

SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing and self-contained breathing apparatus, to protect against the decomposition products of Urea and Sulfur Coated Urea which can be toxic.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Avoid breathing vapors or dust.

### SECTION V REACTIVITY DATA

STABLE	Х	CONDITIONS TO AVOID	Decomposes when heated above melting point
UNSTABLE		CONDITIONS TO AVOID	

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid Contact with Strong Acids, Mildly Corrosive to Metals in Presence of Moisture

HAZARDOUS DECOMPOSITION OR BY PRODUCTS: NDA

HAZARDOUS POLYMERIZATION:				
MAY OCCUR CONDITIONS TO AVOID				
WILL NOT OCCUR	Χ	CONDITIONS TO AVOID	NA	

#### SECTION VI HEALTH HAZARD DATA

ROUTES OF ENTRY: Inhalation, Eyes, Skin, and Ingestion

**HEALTH HAZARDS:** 

SIGNS AND SYMPTOMS OF EXPOSURE: <u>EYES:</u> Dust and vapors can cause irritation and pain. <u>SKIN:</u> Can cause irritation. <u>INHALATION:</u> Dust can cause sore throat, coughing, and shortness of breath. <u>INGESTION:</u> Can cause sore throat and abdominal pain.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NDA

EMERGENCY AND FIRST AID PROCEDURES: <u>EYES & INGESTION</u>: Flush immediately with plenty of water, seek medical attention if necessary. <u>SKIN</u>: Remove contaminated clothing immediately and flush contaminated area with water. <u>INHALATION</u>: Move to fresh air and rest. Seek medical attention if necessary.

# SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

WASTE DISPOSAL METHOD: Sanitary Landfill. Dispose in compliance with local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in dry location, remote from acids.

OTHER PRECAUTIONS:

# SECTION VIII CONTROL MEASURES / PROCESS AREAS

RESPIRATORY PROTECTION (SPECIFY TYPE):

VENTILATION	LOCAL EXHAUST	as necessary to maintain low dust levels
	MECHANICAL	NA
	SPECIAL	dust mask or respirator in dusty situations

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Optional WORK / HYGIENIC PRACTICES: Normally accepted practices.

# SECTION IX REGULATORY COMPLIANCE

THE FOLLOWING INFORMATION MAY BE USEFUL IN COMPLYING WITH VARIOUS STATE AND FEDERAL LAWS AND REGULATIONS UNDER VARIOUS ENVIRONMENTAL STATUTES:

REPORTABLE QUANTITY (RQ), EPA REGULATION 40 CFR 302 (CERLA Section 102):

	CHEMICAL NAMES	(,	CAS	RQ
Г	Award 22-0-6, 40% SCU			NA

THRESHOLD PLANNING QUANTITY (TPQ), EPA REGULATION 40 CFR 355 (SARA Sections 301-304):

CHEMICAL NAME: CAS#: TPQ:

TOXIC CHEMICAL RELEASE REPORTING, EPA REGULATION 40 CFR 372 (SARA Section 313):

CHEMICAL NAME: CAS #: % BY WEIGHT IN PRODUCT

HAZARDOUS CHEMICAL REPORTING, EPA REGULATION 40 CFR 370 (SARA Sections 311-312):

CHEMICAL NAME: CAS#:

EPA HAZARD CLASSIFICATION CODE:							
ACUTE	CHRONIC	FIRE	PRESSURE	REACTIVE	NOT		
HAZARD	HAZARD	HAZARD	HAZARD	HAZARD	APPLICABLE		
					Χ		

HAZARD RATIN	NG: NFPA		
0FIRE	0_TOXICITY	0REACTIVITYUCORROSIVENESS	

HAZARD RATING CODE	0 None	1 Slight	2 Moderate	3 High	U Unknown

### SECTION X TRANSPORTATION INFORMATION

For further information relative to spills resulting from transportation incidents, refer to latest Department of Transportation Emergency Response Guidebook for Hazardous Material Incidents. DOT P 5800.5

DOT IDENTIFICATION: RQ:

#### OSHA REQUIRED LABEL INFORMATION:

In compliance with hazard and right-to-know requirements, the following OSHA Hazard Warnings should be found on a label, bill of lading or invoice accompanying this shipment. NA

NOTE: Product label will contain additional non-OSHA related information.

DATE: February, 2011 SUPERSEDES: ALL PREVIOUS

The information herein was given in good faith but no warranty, expressed or implied was made. Consult for further information.

NA = NOT APPLICABLE NDA = NO DATA AVAILABLE